

SMART

Machine specifications



March 2024

Europe



SMART

SMART



Vertical
Ventilation



ECO
Refrigerant



V AIR
Connect



Works with
alcohol



Cyclic
Reverse




HOT
GAS



5 years
warranty*



Electric
motor



High temp.
suitable



SMART

SMART



 **60**
250 ml portions
per bowl



up to
15 l.
LARGE
bowl capacity

- Space-saving design
- Automatic working modes
- Easy access filter
- Lighted bowls (12 colours) (+ version only)
- Easy tap disassembly
- Fast & easy cleaning



Just 21,5 cm width

SMART

TECHNICAL SUMMARY

SMART

Production	Frozen Drinks		
Refrigerant Gas	R290 		
Volts	220 -240V / 50Hz		
Production Speed (4°C product temperature)	Product ready in 45 minutes		
Capacity	15 l. (1 tank x 15 l.)	30 l. (2 tanks x 15 l.)	45 l. (3 tanks x 15 l.)
Dimensions W x D x H	21.5 x 60 x 85 cm	43 x 60 x 85 cm	65 x 60 x 85 cm
Feet distance W x D	21.5 x 34 cm	43 x 34 cm	65 x 34 cm
Weight	25 kg	50 kg	75 kg
Watt	350 W	700 W	1200 W
Amp	2.5 A	3.5 A	5.5 A
Electrical Consumption (At 25°C Room temperature)	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h



SMART

SMART

PREVENTIVE MAINTENANCE

Ensure the best **performance** of your S M A R T and a longer **lifetime** easily and economically with our preventive maintenance kits.



6 months maintenance kit
SL310R6VSB0



12 months maintenance kit
SL310R1VSB0



Maximise your machine's performance with our service



Tailored training on how to work correctly
with your machine and get the most out of it.

Assistance in adjusting your machine settings
to meet your business needs and best product quality.

Advice on the use
of the most suitable ingredients for your recipe.

Design and development of your personal identity
through a signature recipe.





www.v-air.es

an Ali Group Company



the spirit of excellence